

WHAT IS CLAIMED IS:

1. A storage unit detachable from an information processing apparatus, comprising:

storage means for storing user information for
5 user authentication;

authentication means for performing
authentication processing on the basis of
authentication information input from an information
processing apparatus in which the storage unit is
10 mounted, and user information stored in said storage
means; and

output means for outputting an authentication
result of said authentication means.

2. The unit according to claim 1, wherein

15 said authentication means performs authentication
on the basis of authentication information transmitted
from the information processing apparatus together with
eject instruction, and the user information stored in
said storage means, and

20 said output means notifies the information
processing apparatus of eject permission when
authentication by said authentication means is
successful.

3. The unit according to claim 2, wherein

25 the user information includes a pair of
identification information and password information
which specify a user, and

said authentication means determines that authentication is successful when a pair of identification information and password information contained in the authentication information are
5 contained in the user information.

4. The unit according to claim 3, wherein the user information contains an attribute assigned to a user, and

said authentication means determines that
10 authentication is successful when the pair of identification information and password information contained in the authentication information are contained in the user information and a user specified by the pair of identification information and password
15 information is assigned a predetermined attribute.

5. The unit according to claim 4, wherein the predetermined attribute includes mounter information which specifies a user who is first permitted to access the storage unit.

20 6. The unit according to claim 4, wherein the predetermined attribute information includes owner information representing an owner of the storage unit.

7. The unit according to claim 4, wherein the unit further comprises holding means for
25 holding designation information which designates an attribute to be used for authentication processing by said authentication means, and

said authentication means determines that authentication is successful when the user specified by the pair of identification information and password information contained in the authentication information is assigned the attribute designated by the designation information.

8. An information processing apparatus which allows detaching a storage unit having storage means for storing user information for user authentication,

authentication means for performing authentication processing on the basis of authentication information input from the information processing apparatus in which the storage unit is mounted, and user information stored in the storage means, and

output means for outputting an authentication result of the authentication means, comprising:

providing means for providing an interface for causing a user to input authentication information in executing predetermined processing for the storage unit;

transmission means for transmitting the authentication information input via the interface to the storage unit; and

execution means for executing the predetermined processing for the storage unit on the basis of the

authentication result output from the output means in response to transmission of the authentication information.

9. The apparatus according to claim 8, wherein the
5 predetermined processing includes eject processing for the storage unit.

10. An access control method for a storage unit detachable from an information processing apparatus, comprising:

10 a registration step of registering user information for user authentication in a storage medium arranged in the storage unit;

a providing step of providing an interface for causing a user to input authentication information in
15 executing predetermined processing for the storage unit;

an authentication step of causing the storage unit to execute authentication processing on the basis of the authentication information input via the
20 interface and the user information registered in the registration step; and

an execution step of executing the predetermined processing for the storage unit on the basis of an authentication result in the authentication step.

25 11. The method according to claim 10, wherein the predetermined processing includes eject processing for the storage unit.

12. A control program for causing an information processing apparatus which allows detaching a storage unit to execute predetermined processing for the storage unit, the storage unit having

5 storage means for storing user information for user authentication,

authentication means for performing authentication processing on the basis of authentication information input from the information processing apparatus in which the storage unit is mounted, and user information stored in the storage means, and

output means for outputting an authentication result of the authentication means, eject processing comprising:

a providing step of providing an interface for causing a user to input authentication information in executing the predetermined processing for the storage unit;

20 a transmission step of transmitting the authentication information input via the interface to the storage unit;

a reception step of receiving the authentication result output from the output means in response to transmission of the authentication information; and

25 an execution step of executing the predetermined processing for the storage unit on the basis of the

authentication result.

13. A computer-readable memory which stores a control program defined in claim 12.